



SANHO CHEMICAL CO., LTD.

NO. 1, ZHONGSHAN S. RD., LUZHU DIST., KAOHSIUNG CITY, TAIWAN.

TEL : 886-7-6962211~3

http : // www.sanho.com.tw

FAX : 886-7-6976993 (Sales)

E-mail : sanho@sanho.com.tw

FAX : 886-7-6961782 (Export)

E-mail : sanho@so-net.net.tw

FUJICURE FXH-927

FUJICURE FXH-927 is a modified polyaliphatic amine waterborne hardener for liquid epoxy resin . FUJICURE FXH-927 provides fast drying rate under low temperature and have good adhesion strength and suitable toughness to various substrates . outstanding water diluted stability makes FUJICURE FXH-927 very suitable application for primer . intermediate binder in civil engineering and storage tank .

1 SPECIFICATIONS

Appearance	: Viscosity amber liquid
Viscosity (mPa · s /25°C)	: 10,000 ~ 20,000
Colour (Gardner)	: 10 Max.
Amine value (JIS)	: 160 ± 10
Specific gravity(25/25°C)	: 1.11
Solid content(%)	: 76 ± 2
Solvent	: Water
A.H.E.W.	: 200
Flash point(°C)	: 176

2 RECOMMENDED MIXING RATIO

2-1 、 80~100 parts by weight to 100 parts of liquid epoxy resin whose epoxy equivalent weight is about 190.

2-2 、 17~25 parts by weight to 100 parts of liquid epoxy resin whose epoxy equivalent weight is about 945(Resin content:55%).